ARLINGTON
THE AMERICAN DREAM CITY

Gas Well Inspection Report
2nd Quarter 2015

XTO ENERGY, Inc.

TABLE OF CONTENTS

INTRODUCTION 3

NOTICE OF VIOLATION LETTER 4

PAD SITE INSPECTION REPORTS 5

Eden Southwest.....6

Harris 8

Howling Hound.....10

Rose 12

Sue Barnett.....14

Surber.....16

CONTACT INFORMATION.....18

INTRODUCTION

Purpose:

The exploration, development, and production of gas in the City of Arlington are activities which necessitate reasonable regulation to ensure that all property owners, mineral and otherwise, have the right to peaceably enjoy their property and its benefits and revenues. During the 2nd Quarter of 2015, the Community Development and Planning Department (CD&P) and the Arlington Fire Department (AFD) of the City of Arlington conducted inspections of Gas Well pad sites within the city limits to ensure compliance with the following: The City of Arlington Gas Drilling and Production Ordinance, the Fire Prevention Ordinance and provide gas well permittees notice of violations on gas well pad sites.

Authority:

In accordance with City of Arlington "Gas Drilling and Production" Ordinance, Section 3.01 of the Inspector of the Ordinance, the City Manager shall designate officials who shall enforce the provisions of the Ordinance. The Inspector shall have the authority to enter and inspect any premises covered by the provisions of the Ordinance to determine compliance with the provisions of the Ordinance and all applicable laws, rules, regulations, standards or directives of the State. The Inspector shall have the authority to issue any orders or directives required to carry out the intent and purpose of the Ordinance and its particular provisions. Failure of any person to comply with any such order or directive shall constitute a violation of the Ordinance. In accordance with the City of Arlington "Fire Prevention" Ordinance, Section 1.03, IFC 104.3 Right of Entry, whenever necessary to make an inspection to enforce any of the provisions of the Fire Code.

Inspectors:

Jessica Minley- Gas Well Specialist (CD&P)

Jay White – Fire Prevention Specialist (AFD)

Collin Gregory – Gas Well Coordinator (CD&P)

Maria Carbajal – Gas Well Coordinator (CD&P)

NOTICE OF VIOLATION LETTER

During the dates in the reports listed below, the Gas Well Specialist and the Fire Prevention Specialist of the City of Arlington conducted compliance inspections to identify and inform XTO Energy (XTO) of violations on Gas Well pad sites within the City of Arlington. Each XTO site was inspected and violations documented in the reports attached.

Section 10.01 and IFC 109.3 <u>Penalty</u>

A. It shall be unlawful and an offense for any person to do the following:

1. Engage in any activity not permitted by the terms of a Gas Well Permit issued under this Chapter; or the Fire Prevention Chapter.

2. Fail to comply with any condition set forth in a Gas Well Permit issued under this Chapter or the Fire Prevention Chapter

B. A person who violates any provision of these Chapters by performing an act prohibited or by failing to perform an act required is guilty of a misdemeanor; each day the violation continues shall be a separate offense.

1. If the definition of an offense under this Chapter does not prescribe a culpable mental state, then a culpable mental state is not required. Such offense shall be punishable by a fine not to exceed Five Hundred Dollars and No Cents ($500.00). Although not required, if a culpable mental state is in fact alleged in the charge of the offense and the offense governs fire safety, zoning, or public health and sanitation, including dumping of refuse, such offense shall be punishable by a fine not to exceed Two Thousand Dollars and No Cents ($2,000.00).

3. If the definition of an offense under these Chapters prescribes a culpable mental state and the offense governs fire safety, zoning, or public health and sanitation, including dumping of refuse, then a culpable mental state is required and the offense shall be punishable by a fine not to exceed Two Thousand Dollars and No Cents ($2,000.00). (Amended "Gas Drilling and Production" Ord 10-012, 1/12/10) (Amended "Fire Prevention" Ord 12-021, 4/24/2012)

XTO Energy is hereby required, per section 5.06 (A) and (B) of the "Gas Drilling and Production" Ordinance and the IFC 109.3 of the "Fire Prevention" Ordinance, to correct any noted violations on each corresponding pad site report. Failure to comply with the following stated instructions, and/ or failure to comply with the following stated instructions in the future will result in penalties or fines in accordance with the Ordinances.

PAD SITE INSPECTION REPORTS

The following infractions are found in the "Gas Drilling and Production Ordinance" Chapter of the Code of the City Of Arlington and/ or the "Fire Prevention Ordinance" Chapter of the Code of the City of Arlington.

Gas Well Inspection Form

SITE NAME: Eden SW

ADDRESS: 150 East Eden Road

Company: XTO
Contact Info: 1-800-299-2800
Inspection Date: 6/23/2015
Time: 3:00PM

PHASE

☐ Drilling ☐ Fracking ☐ Flowback ☑ Production ☐ Abandoned

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Signage (IFC 3406.3.7/Section 7.02)

PASS Address properly displayed
PASS Well Name
PASS Well Number
PASS Name of Operator
PASS (2) Emergency Phone Numbers
PASS No smoking signage (IFC 2703.3.1/Section 7.02)
PASS Hazmat Identification (IFC 3406.3.3)

Security (IFC: 3406.3.9/ Section 7.01)

PASS Fencing intact
PASS Gate Locked
PASS Gate width
PASS Knox Lock
PASS Vehicle Impact Protection (IFC 3406.3.12)

Accessibility (IFC:3406.3.1.2.1/ Section 7.01)

PASS Entry/Approach maintained
PASS 24' width
PASS 14' high clearance
PASS Unobstructed access

Landscaping & Perimeter Fencing(Section 7.01)

PASS Tier 1
N/A Tier 2

Meteorological Data

S Wind Direct
91.9F Temp

Wind Speed

7.0MPH Average
9.2MPH Current
13.0MPH Max

Nearest Receptor

N/A Yards

Tank Batteries/Well Head/Pipes/Other:

PASS Tank batteries 25' from well head (IFC 3406.3.1.1/ Section 7.01)
PASS Well Head 75' from street or railway(IFC 3406.3.1.1)
PASS Secondary Containment System (IFC 2704.2.2/ Section 7.01)
PASS Lightning Arrestor System (IFC 3406.3.4.1/ Section 7.01)
N/A Suppression system as required by (Fire Dept IFC 3406.3.8.4)
N/A Fire Extinguisher (IFC 3406.3.8.4)
PASS Pipe supports, bracing, foundations and anchoring (IFC 3406.3.1.5)
N/A Soundproof material non-combustible (IFC 3406.3.6)
PASS Dust, Odors, Vibrations(Section 7.01)
PASS Equipment Painted(Section 7.02)
N/A Gas Lift Compressor(Section 7.01)
PASS Gas Processing Onsite(Section 7.01)
PASS Storage of Equipment(Section 7.01)
PASS Muffling Exhaust(Section 7.01)
PASS 8' Height Requirement (Section 7.01)
PASS Grass, Weeds, Trash(Section 7.02)

Fracture Stimulation Earthen Pit (Section 7.01)

PASS Tier 1
N/A Tier2

Monitoring

PASS Gas Detection(IFC 3406.3.8.2)
N/A GFIR Observation (IFC 3406.3.8.2)
PASS TVA Readings in PPM (Section 7.01)
PASS Security Camera (IFC 3406.3.9)

Gas Well Inspection Form

SITE NAME: Eden SW

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Valves

PASS Automatic shut-off valve/BOP (IFC 3406.3.4)
PASS Emergency shut-off valve (IFC 3406.3.8.2)

Well Head Status After Fracing (Section 7.01)

N/A Covered
PASS Completed
PASS Cellar filled or Closed
PASS Bradenhead Gauge Installed
N/A Vehicle Impact Protection (IFC 3406.3.12)

Administrative

PASS Emergency Action Plan (IFC 3406.3.10)
PASS Hazardous Material Plan (IFC 3406.3.11)

Personnel on site (if applicable)

N/A Credentials.
N/A Fire extinguisher (Applicable if personnel on-site)

Explosives (if on site)

N/A Permit from Fire Marshal (Required)

Summa Sample

Canister #	N/A
GPS coordinates	N/A
Time	N/A
Start	N/A
Finish	N/A

Site Inventory

# of Wellheads	12
# of Separators	12
# of Storage Tanks	13
# of Fire Hydrants (If Applicable)	1

Notes:

Full Compliance

TCEQ Investigator Contacted

N/A

Referred to Rail Road Commission

N/A

Site Representative

N/A

Inspection Verification

Time	Date	
3:00PM	6/23/2015	ess a M e
		Gas Well Specialist (CD&P)
N/A	5/7/2015	a W te
		Fire Prevention Specialist (Fire Department)

Gas Well Inspection Form

SITE NAME: Ha□□s

ADDRESS: 9508 So□t□ □o□□ns St□eet

Company: XTO
Contact Info: 1-800-299-2800
Inspection Date: 6/1/2015
Time: 1:□5PM

PHASE

☐ Drilling ☐ Fracking ☐ Flowback ☑ Production ☐ Abandoned

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Signage (IFC 3406.3.7/Section 7.02)

PASS Address properly displayed
PASS Well Name
PASS Well Number
PASS Name of Operator
PASS (2) Emergency Phone Numbers
PASS No smoking signage (IFC 2703.3.1/Section 7.02)
PASS Hazmat Identification (IFC 3406.3.3)

Security (IFC: 3406.3.9/ Section 7.01)

PASS Fencing intact
PASS Gate Locked
PASS Gate width
PASS Knox Lock
PASS Vehicle Impact Protection (IFC 3406.3.12)

Accessibility (IFC:3406.3.1.2.1/ Section 7.01)

PASS Entry/Approach maintained
PASS 24' width
PASS 14' high clearance
PASS Unobstructed access

Landscaping & Perimeter Fencing(Section 7.01)

PASS Tier 1
N/A Tier 2

Meteorological Data

ESE Wind Direct
82.9F Temp

Wind Speed

2.0MPH Average
6.9MPH Current
9.0MPH Max

Nearest Receptor

N/A Yards

Tank Batteries/Well Head/Pipes/Other:

PASS Tank batteries 25' from well head (IFC 3406.3.1.1/ Section 7.01)
PASS Well Head 75' from street or railway(IFC 3406.3.1.1)
PASS Secondary Containment System (IFC 2704.2.2/ Section 7.01)
PASS Lightning Arrestor System (IFC 3406.3.4.1/ Section 7.01)
N/A Suppression system as required by (Fire Dept IFC 3406.3.8.4)
PASS Fire Extinguisher (IFC 3406.3.8.4)
PASS Pipe supports, bracing, foundations and anchoring (IFC 3406.3.1.5)
N/A Soundproof material non-combustible (IFC 3406.3.6)
PASS Dust, Odors, Vibrations(Section 7.01)
PASS Equipment Painted(Section 7.02)
PASS Gas Lift Compressor(Section 7.01)
PASS Gas Processing Onsite(Section 7.01)
PASS Storage of Equipment(Section 7.01)
N/A Muffling Exhaust(Section 7.01)
PASS 8' Height Requirement (Section 7.01)
PASS Grass, Weeds, Trash(Section 7.02)

Fracture Stimulation Earthen Pit (Section 7.01)

N/A Tier 1
N/A Tier2

Monitoring

PASS Gas Detection(IFC 3406.3.8.2)
N/A GFIR Observation (IFC 3406.3.8.2)
PASS TVA Readings in PPM (Section 7.01)
PASS Security Camera (IFC 3406.3.9)

Gas Well Inspection Form

SITE NAME: Ha□□s

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Valves

PASS Automatic shut-off valve/BOP (IFC 3406.3.4)
PASS Emergency shut-off valve (IFC 3406.3.8.2)

Well Head Status After Fracing (Section 7.01)

N/A Covered
PASS Completed
PASS Cellar filled or Closed
PASS Bradenhead Gauge Installed
PASS Vehicle Impact Protection (IFC 3406.3.12)

Administrative

PASS Emergency Action Plan (IFC 3406.3.10)
PASS Hazardous Material Plan (IFC 3406.3.11)

Personnel on site (if applicable)

N/A Credentials.
N/A Fire extinguisher (Applicable if personnel on-site)

Explosives (if on site)

N/A Permit from Fire Marshal (Required)

Summa Sample

Canister #	N/A
GPS coordinates	N/A
Time	N/A
Start	N/A
Finish	N/A

Site Inventory

# of Wellheads	1
# of Separators	1
# of Storage Tanks	3
# of Fire Hydrants (If Applicable)	N/A

Notes:

Full Compliance

TCEQ Investigator Contacted

N/A

Referred to Rail Road Commission

N/A

Site Representative

N/A

Inspection Verification

Time	Date	
1:□5PM	6/1/2015	□ess□a M□n□e□
		Gas Well Specialist (CD&P)
N/A	5/7/2015	□a□W□te
		Fire Prevention Specialist (Fire Department)

Gas Well Inspection Form

SITE NAME: Ho□□n□Ho□nd

ADDRESS: □050 No□t□ □o□ns St□eet

Company:	XTO
Contact Info:	1-800-299-2800
Inspection Date:	6/16/2015
Time:	3:2□PM

PHASE

☐ Drilling ☐ Fracking ☐ Flowback ☑ Production ☐ Abandoned

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Signage (IFC 3406.3.7/Section 7.02)

PASS Address properly displayed
PASS Well Name
PASS Well Number
PASS Name of Operator
PASS (2) Emergency Phone Numbers
PASS No smoking signage (IFC 2703.3.1/Section 7.02)
PASS Hazmat Identification (IFC 3406.3.3)

Security (IFC: 3406.3.9/ Section 7.01)

PASS Fencing intact
PASS Gate Locked
PASS Gate width
PASS Knox Lock
PASS Vehicle Impact Protection (IFC 3406.3.12)

Accessibility (IFC:3406.3.1.2.1/ Section 7.01)

PASS Entry/Approach maintained
PASS 24' width
PASS 14' high clearance
PASS Unobstructed access

Landscaping & Perimeter Fencing(Section 7.01)

PASS Tier 1
N/A Tier 2

Meteorological Data

SE Wind Direct
55.9F Temp

Wind Speed

8.0MPH Average
12.7MPH Current
18.0MPH Max

Nearest Receptor

N/A Yards

Tank Batteries/Well Head/Pipes/Other:

PASS Tank batteries 25' from well head (IFC 3406.3.1.1/ Section 7.01)
PASS Well Head 75' from street or railway(IFC 3406.3.1.1)
PASS Secondary Containment System (IFC 2704.2.2/ Section 7.01)
PASS Lightning Arrestor System (IFC 3406.3.4.1/ Section 7.01)
PASS Suppression system as required by (Fire Dept IFC 3406.3.8.4)
PASS Fire Extinguisher (IFC 3406.3.8.4)
PASS Pipe supports, bracing, foundations and anchoring (IFC 3406.3.1.5)
N/A Soundproof material non-combustible (IFC 3406.3.6)
PASS Dust, Odors, Vibrations(Section 7.01)
PASS Equipment Painted(Section 7.02)
PASS Gas Lift Compressor(Section 7.01)
PASS Gas Processing Onsite(Section 7.01)
PASS Storage of Equipment(Section 7.01)
PASS Muffling Exhaust(Section 7.01)
PASS 8' Height Requirement (Section 7.01)
PASS Grass, Weeds, Trash(Section 7.02)

Fracture Stimulation Earthen Pit (Section 7.01)

N/A Tier 1
N/A Tier2

Monitoring

PASS Gas Detection(IFC 3406.3.8.2)
N/A GFIR Observation (IFC 3406.3.8.2)
PASS TVA Readings in PPM (Section 7.01)
PASS Security Camera (IFC 3406.3.9)

Gas Well Inspection Form

SITE NAME: Ho□□n□Ho□nd

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Valves

PASS Automatic shut-off valve/BOP (IFC 3406.3.4)
PASS Emergency shut-off valve (IFC 3406.3.8.2)

Well Head Status After Fracing (Section 7.01)

N/A Covered
PASS Completed
PASS Cellar filled or Closed
PASS Bradenhead Gauge Installed
PASS Vehicle Impact Protection (IFC 3406.3.12)

Administrative

PASS Emergency Action Plan (IFC 3406.3.10)
PASS Hazardous Material Plan (IFC 3406.3.11)

Personnel on site (if applicable)

N/A Credentials.
N/A Fire extinguisher (Applicable if personnel on-site)

Explosives (if on site)

PASS Permit from Fire Marshal (Required)

Summa Sample

Canister #	N/A
GPS coordinates	N/A
Time	N/A
Start	N/A
Finish	N/A

Site Inventory

# of Wellheads	2
# of Separators	3
# of Storage Tanks	2
# of Fire Hydrants (If Applicable)	1

Notes:

Full Compliance

TCEQ Investigator Contacted

N/A

Referred to Rail Road Commission

N/A

Site Representative

N/A

Inspection Verification

Time	Date	
3:2□PM	6/16/2015	□ess□a M□n□e□
		Gas Well Specialist (CD&P)
N/A	5/15/2015	□a□W□te
		Fire Prevention Specialist (Fire Department)

Gas Well Inspection Form

SITE NAME: Rose

ADDRESS: 8101 □.S. 287 H□□□a□

Company: XTO

Contact Info: 1-800-299-2800

Inspection Date: 5/29/2015

Time: 11:□5AM

PHASE

☐ Drilling ☐ Fracking ☐ Flowback ☑ Production ☐ Abandoned

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Signage (IFC 3406.3.7/Section 7.02)

PASS Address properly displayed
PASS Well Name
PASS Well Number
PASS Name of Operator
PASS (2) Emergency Phone Numbers
PASS No smoking signage (IFC 2703.3.1/Section 7.02)
PASS Hazmat Identification (IFC 3406.3.3)

Security (IFC: 3406.3.9/ Section 7.01)

PASS Fencing intact
PASS Gate Locked
PASS Gate width
PASS Knox Lock
PASS Vehicle Impact Protection (IFC 3406.3.12)

Accessibility (IFC:3406.3.1.2.1/ Section 7.01)

PASS Entry/Approach maintained
PASS 24' width
PASS 14' high clearance
PASS Unobstructed access

Landscaping & Perimeter Fencing(Section 7.01)

PASS Tier 1
N/A Tier 2

Meteorological Data

W Wind Direct
72.0F Temp

Wind Speed

9.0MPH Average
6.9MPH Current
22.0MPH Max

Nearest Receptor

N/A Yards

Tank Batteries/Well Head/Pipes/Other:

PASS Tank batteries 25' from well head (IFC 3406.3.1.1/ Section 7.01)
PASS Well Head 75' from street or railway(IFC 3406.3.1.1)
PASS Secondary Containment System (IFC 2704.2.2/ Section 7.01)
N/A Lightning Arrestor System (IFC 3406.3.4.1/ Section 7.01)
N/A Suppression system as required by (Fire Dept IFC 3406.3.8.4)
PASS Fire Extinguisher (IFC 3406.3.8.4)
PASS Pipe supports, bracing, foundations and anchoring (IFC 3406.3.1.5)
N/A Soundproof material non-combustible (IFC 3406.3.6)
PASS Dust, Odors, Vibrations(Section 7.01)
PASS Equipment Painted(Section 7.02)
N/A Gas Lift Compressor(Section 7.01)
N/A Gas Processing Onsite(Section 7.01)
PASS Storage of Equipment(Section 7.01)
N/A Muffling Exhaust(Section 7.01)
PASS 8' Height Requirement (Section 7.01)
PASS Grass, Weeds, Trash(Section 7.02)

Fracture Stimulation Earthen Pit (Section 7.01)

N/A Tier 1
N/A Tier2

Monitoring

PASS Gas Detection(IFC 3406.3.8.2)
N/A GFIR Observation (IFC 3406.3.8.2)
PASS TVA Readings in PPM (Section 7.01)
PASS Security Camera (IFC 3406.3.9)

Gas Well Inspection Form

SITE NAME: Rose

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Valves

PASS Automatic shut-off valve/BOP (IFC 3406.3.4)
PASS Emergency shut-off valve (IFC 3406.3.8.2)

Well Head Status After Fracing (Section 7.01)

PASS Covered
PASS Completed
PASS Cellar filled or Closed
PASS Bradenhead Gauge Installed
PASS Vehicle Impact Protection (IFC 3406.3.12)

Administrative

PASS Emergency Action Plan (IFC 3406.3.10)
PASS Hazardous Material Plan (IFC 3406.3.11)

Personnel on site (if applicable)

PASS Credentials.
PASS Fire extinguisher (Applicable if personnel on-site)

Explosives (if on site)

N/A Permit from Fire Marshal (Required)

Summa Sample

Canister #	N/A
GPS coordinates	N/A
Time	N/A
Start	N/A
Finish	N/A

Site Inventory

# of Wellheads	9
# of Separators	9
# of Storage Tanks	9
# of Fire Hydrants (If Applicable)	1

Notes:

Full Compliance

TCEQ Investigator Contacted

N/A

Referred to Rail Road Commission

N/A

Site Representative

N/A

Inspection Verification

Time	Date	
11:□5AM	5/29/2015	□ess□a M□n□e□
		Gas Well Specialist (CD&P)
N/A	5/6/2015	□a□W□te
		Fire Prevention Specialist (Fire Department)

Gas Well Inspection Form

SITE NAME: S□e □a□nett

ADDRESS: 1809 So□t□east Pa□□□a□

Company: XTO
Contact Info: 1-800-299-2800
Inspection Date: 6/22/2015
Time: 3:13PM

PHASE

☐ Drilling ☐ Fracking ☐ Flowback ☑ Production ☐ Abandoned

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Signage (IFC 3406.3.7/Section 7.02)

PASS Address properly displayed
PASS Well Name
PASS Well Number
PASS Name of Operator
PASS (2) Emergency Phone Numbers
PASS No smoking signage (IFC 2703.3.1/Section 7.02)
PASS Hazmat Identification (IFC 3406.3.3)

Security (IFC: 3406.3.9/ Section 7.01)

PASS Fencing intact
PASS Gate Locked
PASS Gate width
PASS Knox Lock
PASS Vehicle Impact Protection (IFC 3406.3.12)

Accessibility (IFC:3406.3.1.2.1/ Section 7.01)

PASS Entry/Approach maintained
PASS 24' width
PASS 14' high clearance
PASS Unobstructed access

Landscaping & Perimeter Fencing(Section 7.01)

PASS Tier 1
N/A Tier 2

Meteorological Data

SSE Wind Direct
91.9F Temp

Wind Speed

8.0MPH Average
13.8MPH Current
16.0MPH Max

Nearest Receptor

N/A Yards

Tank Batteries/Well Head/Pipes/Other:

PASS Tank batteries 25' from well head (IFC 3406.3.1.1/ Section 7.01)
PASS Well Head 75' from street or railway(IFC 3406.3.1.1)
PASS Secondary Containment System (IFC 2704.2.2/ Section 7.01)
PASS Lightning Arrestor System (IFC 3406.3.4.1/ Section 7.01)
N/A Suppression system as required by (Fire Dept IFC 3406.3.8.4)
PASS Fire Extinguisher (IFC 3406.3.8.4)
PASS Pipe supports, bracing, foundations and anchoring (IFC 3406.3.1.5)
PASS Soundproof material non-combustible (IFC 3406.3.6)
PASS Dust, Odors, Vibrations(Section 7.01)
PASS Equipment Painted(Section 7.02)
PASS Gas Lift Compressor(Section 7.01)
PASS Gas Processing Onsite(Section 7.01)
PASS Storage of Equipment(Section 7.01)
N/A Muffling Exhaust(Section 7.01)
PASS 8' Height Requirement (Section 7.01)
PASS Grass, Weeds, Trash(Section 7.02)

Fracture Stimulation Earthen Pit (Section 7.01)

N/A Tier 1
N/A Tier2

Monitoring

PASS Gas Detection(IFC 3406.3.8.2)
N/A GFIR Observation (IFC 3406.3.8.2)
PASS TVA Readings in PPM (Section 7.01)
PASS Security Camera (IFC 3406.3.9)

Gas Well Inspection Form

SITE NAME: S□e □a□nett

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Valves

PASS Automatic shut-off valve/BOP (IFC 3406.3.4)
PASS Emergency shut-off valve (IFC 3406.3.8.2)

Well Head Status After Fracing (Section 7.01)

PASS Covered
PASS Completed
N/A Cellar filled or Closed
PASS Bradenhead Gauge Installed
PASS Vehicle Impact Protection (IFC 3406.3.12)

Administrative

PASS Emergency Action Plan (IFC 3406.3.10)
PASS Hazardous Material Plan (IFC 3406.3.11)

Personnel on site (if applicable)

N/A Credentials.
N/A Fire extinguisher (Applicable if personnel on-site)

Explosives (if on site)

N/A Permit from Fire Marshal (Required)

Summa Sample

Canister #	N/A
GPS coordinates	N/A
Time	N/A
Start	N/A
Finish	N/A

Site Inventory

# of Wellheads	6
# of Separators	3
# of Storage Tanks	5
# of Fire Hydrants (If Applicable)	1

Notes:

Full Compliance

TCEQ Investigator Contacted

N/A

Referred to Rail Road Commission

N/A

Site Representative

N/A

Inspection Verification

3:13PM	6/22/2015	□ess□a M□n□e□
Time	Date	Gas Well Specialist (CD&P)
N/A	5/5/2015	□a□W□te
Time	Date	Fire Prevention Specialist (Fire Department)

Gas Well Inspection Form

SITE NAME: S□□□e□

ADDRESS: 3□1□No□t□ □o□□ns

Company: XTO

Contact Info: 1-800-299-2800

Inspection Date: 5/15/2015

Time: □10:□5AM

PHASE

☐ Drilling ☐ Fracking ☐ Flowback ☑ Production ☐ Abandoned

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Signage (IFC 3406.3.7/Section 7.02)

PASS Address properly displayed
PASS Well Name
PASS Well Number
PASS Name of Operator
PASS (2) Emergency Phone Numbers
PASS No smoking signage (IFC 2703.3.1/Section 7.02)
PASS Hazmat Identification (IFC 3406.3.3)

Security (IFC: 3406.3.9/ Section 7.01)

PASS Fencing intact
PASS Gate Locked
PASS Gate width
PASS Knox Lock
PASS Vehicle Impact Protection (IFC 3406.3.12)

Accessibility (IFC:3406.3.1.2.1/ Section 7.01)

PASS Entry/Approach maintained
PASS 24' width
PASS 14' high clearance
PASS Unobstructed access

Landscaping & Perimeter Fencing(Section 7.01)

N/A Tier 1
PASS Tier 2

Meteorological Data

SSE Wind Direct
73.9F Temp

Wind Speed

13.0MPH Average
12.7MPH Current
17.0MPH Max

Nearest Receptor

N/A Yards

Tank Batteries/Well Head/Pipes/Other:

PASS Tank batteries 25' from well head (IFC 3406.3.1.1/ Section 7.01)
PASS Well Head 75' from street or railway(IFC 3406.3.1.1)
PASS Secondary Containment System (IFC 2704.2.2/ Section 7.01)
PASS Lightning Arrestor System (IFC 3406.3.4.1/ Section 7.01)
PASS Suppression system as required by (Fire Dept IFC 3406.3.8.4)
N/A Fire Extinguisher (IFC 3406.3.8.4)
PASS Pipe supports, bracing, foundations and anchoring (IFC 3406.3.1.5)
N/A Soundproof material non-combustible (IFC 3406.3.6)
PASS Dust, Odors, Vibrations(Section 7.01)
PASS Equipment Painted(Section 7.02)
PASS Gas Lift Compressor(Section 7.01)
PASS Gas Processing Onsite(Section 7.01)
PASS Storage of Equipment(Section 7.01)
PASS Muffling Exhaust(Section 7.01)
PASS 8' Height Requirement (Section 7.01)
PASS Grass, Weeds, Trash(Section 7.02)

Fracture Stimulation Earthen Pit (Section 7.01)

N/A Tier 1
N/A Tier2

Monitoring

PASS Gas Detection(IFC 3406.3.8.2)
N/A GFIR Observation (IFC 3406.3.8.2)
PASS TVA Readings in PPM (Section 7.01)
PASS Security Camera (IFC 3406.3.9)

Gas Well Inspection Form

SITE NAME: S□□□e□

Gas well inspections are conducted jointly by Community Development and Planning and the Fire Department. The section of the Fire Code and/ or Gas Well Ordinance is noted on each item.

Valves

PASS Automatic shut-off valve/BOP (IFC 3406.3.4)
PASS Emergency shut-off valve (IFC 3406.3.8.2)

Well Head Status After Fracing (Section 7.01)

N/A Covered
PASS Completed
PASS Cellar filled or Closed
PASS Bradenhead Gauge Installed
PASS Vehicle Impact Protection (IFC 3406.3.12)

Administrative

PASS Emergency Action Plan (IFC 3406.3.10)
PASS Hazardous Material Plan (IFC 3406.3.11)

Personnel on site (if applicable)

N/A Credentials.
N/A Fire extinguisher (Applicable if personnel on-site)

Explosives (if on site)

N/A Permit from Fire Marshal (Required)

Summa Sample

Canister #	N/A
GPS coordinates	N/A
Time	N/A
Start	N/A
Finish	N/A

Site Inventory

# of Wellheads	□
# of Separators	□
# of Storage Tanks	□
# of Fire Hydrants (If Applicable)	N/A

Notes:

Full compliance

TCEQ Investigator Contacted

N/A

Referred to Rail Road Commission

N/A

Site Representative

N/A

Inspection Verification

□10:□5AM	5/15/2015	□ess□a M□n□e□
Time	Date	Gas Well Specialist (CD&P)
N/A	5/15/2015	□a□W□te
Time	Date	Fire Prevention Specialist (Fire Department)

CONTACT INFORMATION

Community Development and Planning
101 W. Abram St.
PO Box 90231 MS 01-0241
Arlington, TX 76004-3231
www.arlingtontx.gov

Bridgett White, AICP
Assistant Director
817-459-6660
bridgett.white@arlingtontx.gov

Collin Gregory
Gas Well Coordinator
817-459-6593
collin.gregory@arlingtontx.gov

Maria Carbajal
Gas Well Coordinator
817-459-6661
maria.carbajal@arlingtontx.gov

Jessica Minley
Gas Well Specialist
817-459-6520
Jessica. Minley@arlingtontx.gov

Jay White
Fire Prevention Specialist
817-459-5523
Jay.White@arlingtontx.gov