



RE-ROOF RESIDENTIAL PERMIT REQUIREMENTS

CITY OF ARLINGTON BUILDING INSPECTION DEPARTMENT

CONSTRUCTION DOCUMENT SUBMITTALS: One (1) copy of a permit application form must be completed.

FEE: Refer to the fee schedule for applicable fees

MATERIALS AND REQUIREMENTS: Reference 2009 IRC – R902, R904, R905 and R907 as amended

1. Where the existing roof covering is **wood shake, slate, clay, cement or asbestos-cement tile**, it must be removed before new roof covering is applied. Exceptions see IRC 908.3
2. No **unpackaged shingles** (seconds) are to be used.
3. Replace all **rotten decking or rafters** as needed.
4. **All Individual** replacement **shingles or shakes** shall be a minimum **Class C**. (R902.1)
5. Metal panel, metal shingle and concrete and clay tile roof coverings require installation of non-combustible underlayment.
6. Solid wood decking is required for all wood shingle; shake roofs (See Local Amendments).

NOTE:

1. **Homeowner** who is performing the work himself/herself, and if the property is his/her homestead, is not required to register as a general contractor.
2. There are two (2) inspections required:
 - a. **A partial final inspection** – is required on metal panel, metal shingle, and concrete and clay tile roof covering to check underlayment.
 - b. **A final inspection** – to verify that materials were properly installed and comply with code regulation. A final inspection will now also require an attic inspection to verify vent piping thru the roof, rafters in position and water heater and a/c exhaust vents reinstalled properly.
3. Re-roof work not exceeding 10% of the roof does not require a permit.
4. Please contact Homeowner's Association for additional requirements from Deed Restrictions and Covenants.

CITY OF ARLINGTON
CERTIFICATION OF FINAL ROOF INSTALLATION

As a measure to ensure the safety of your home, a roof permit is required on all re-roof projects. The City of Arlington provides a final roof inspection as a part of your roof permit. The Final Roof Inspection consists of:

- Attic inspection to verify vent piping thru the roof
- Rafters in position
- Water heater and furnace exhaust vents reinstalled properly.

If you choose to waive the City of Arlington from performing this inspection, then you must certify that the inspection has been performed by your roofing contractor. Fax completed form to (817)459-6669 or email: servicerep@Arlington.gov.

Project Address: _____ **Permit number:** _____

I certify that my roofing contractor has completed a final roof inspection consisting of an attic inspection to verify vent piping thru the roof, rafters in position, and water heater and furnace exhaust vents reinstalled properly.

PRINT NAME: _____
(Homeowner)

SIGNATURE: _____
(Homeowner)

STATE OF _____

COUNTY OF _____

On this _____ day of _____, in the year _____, before me

_____, Notary Public, personally appeared _____.

Personally known to me (or proved to me am the basis of satisfactory evidence) to be the person(s) whose names (s) is (are) subscribed to this instrument, and acknowledged that he (she/they) executed it.

WITNESS my hand and official seal.

Notary's Signature

Notary's Name (Print)

My commission expires: _____

This handout is for informational purposes only and should not be relied on in place of official regulations and/or policies. The CITY OF ARLINGTON makes no representations, guarantees, or warranties as to the accuracy, completeness, currency, or suitability of the information provided via the handout. Customers and citizens are personally responsible for complying with all local, state and federal laws pertaining to projects within the city. Copies of the CITY OF ARLINGTON adopted codes and Zoning Ordinances can be found on the city website at www.Arlingtontx.gov or at the CITY OF ARLINGTON Municipal Center at 101 W Abram, Arlington, Texas.