



**NOTES**


- UNLESS NOTED OTHERWISE, THE DESIGN OF THE POLES, MAST ARMS AND DAVIT EXTENSIONS SHALL CONFORM TO THE REQUIREMENTS OF THE CURRENT AASHTO STANDARD SPECIFICATIONS FOR STRUCTURAL SUPPORTS FOR HIGHWAY SIGNS, LIGHTS AND TRAFFIC SIGNALS AND ALL ADDENDA THERE TO. THE DESIGN SHALL WITHSTAND ICE AND 80 MPH WINDS WITH 140 MPH GUSTS.
- SHOP DRAWING PROVIDED BY MANUFACTURER FOR APPROVAL BEFORE PRODUCTION OF ORDER.




OVERALL ELEVATION




POLE CAP DETAIL



SECTION F - F  
HANDHOLE DETAIL





SECTION G - G





BASE DETAIL

2\"/>


MAST ARM LEVELING SHIM DETAIL




MAST ARM ATTACHMENT DETAIL FOR TYPE 3 POLE



DAVIT EXTENSION ATTACHMENT DETAIL



SECTION J - J  
2 FASTENERS PER SIDE



BASE DETAIL

SCALE	REVISION	
N.T.S.	DATE	BY
DRAWN BY		
JCS		
DATE		
08/07/06		
FILE	SHEET NO.	
	1 OF 1	